9/505293

Reservation 2 Laug 21

INTERNATIONAL PRELIMINARY REPORT ON PARENT ABILITY (Chapter II of the Patent Cooperation Treaty)

WIPO

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference	FOR EIDENTED LOWER AND THE PROPERTY OF THE PRO				
P14286WO	FOR FURTHER ACTION See Form PCT/IPEA/416				
International application No.	International filing date (day/month/year)	Priority date (day/month/year)			
PCT/SE 2003/000160	30-01-2003	25-02-2002			
International Patent Classification (IPC) or national classification and IPC					
H04L 12/56, H04L 12/66, H04L 29/06, H04Q 7/22					
Applicant					
Telefonaktiebolaget L M Ericsson (publ) et al					
 This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36. 					
2. This REPORT consists of a total of 4 sheets, including this cover sheet.					
This report is also accompanied by	ANNEXES, comprising:	· · · · · ·			
sneets, as follows:					
sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).					
sheets which s	sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes				
beyond the dis	beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.				
b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s))					
containing a sequence listing and/or tables related thereto, in computer					
readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).					
4. This report contains indications relating to the following items:					
Box No. I Basis of the report					
Box No. II Priority Box No. III Non-establishment of opinion with regard to novelty, inventive step and industrial applicabile					
		ventive step and industrial applicability			
Box No. IV Lack of unity of invention					
Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement					
Box No. VI Certain d	locuments cited	· statement			
Box No. VII Certain defects in the international application					
Box No. VIII Certain observations on the international application					
Date of submission of the demand Date of completion of this report					
	Date of completion of	tuns report			
10-09-2003	27-04-2004	27-04-2004			
Name and mailing address of the IPEA/SE	Authorized officer				
Patent- och registreringsverket Box 5055]			
S-102 42 STOCKHOLM	Anders Edlu	Anders Edlund /LR			
Facsimile No. +46 8 667 72 88	Telephone No. +46	Telephone No. +46 8 782 25 00			

Bo	x No. I	Basis of the report		
1.	With	regard to the language, this report is based on the international application in the wise indicated under this item.	e language in which it was filed, unless	
	Ц	This report is based on a translation from the original language into the following language which is the language of a translation furnished for the purposes of:		
		international search (under Rules 12.3 and 23.1(b))		
		publication of the international application (under Rule 12.4)		
		international preliminary examination (under Rules 55.2 and/or 55.3)		
2.	jains	n regard to the elements of the international application, this report is based on (replacement sheets which have be ished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally file are not annexed to this report):		
		the international application as originally filed/furnished		
	\bowtie	the description:		
		pages <u>1-12</u>	as originally filed/furnished	
		pages* received by this Authority on		
	M	the claims:		
		pages	as originally filed/furnished	
			r with any statement) under Article 19	
		- Isostrod by this ratherity on	22-04-2004	
	\boxtimes	the drawings:		
		pages 1-3	as originally filed/furnished	
		pages* received by this Authority on	as originally meditimished	
		pages* received by this Authority on		
		a sequence listing and/or any related table(s) - see Supplemental Box Relating to S	equence Listing.	
3.		The amendments have resulted in the cancellation of:		
		the description, pages		
		the claims, Nos.		
		the drawings, sheets/figs		
		the sequence listing (specify):		
		any table(s) related to the sequence listing (specify):		
4.		This report has been established as if (some of) the amendments annexed to this made, since they have been considered to go beyond the disclosure as filed, as incompared to the disclosure as filed,	report and listed below had not been licated in the Supplemental Box (Rule	
		the description, pages		
		the claims, Nos.		
		the drawings, sheets/figs		
		1 1 11 11 11 11 11 11 11 11 11 11 11 11		
		any table(s) related to the sequence listing (specify):		
*	If item 4	4 applies, some or all of those sheets may be marked "superseded."		

YES

NO

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

1-16

Inventive step (IS)

Claims

YES

Claims

Industrial applicability (IA) Claims 1-16 YES
Claims

2. Citations and explanations (Rule 70.7)

Novelty (N)

Reference is made to the following documents:

Claims

Claims

D1: Draft Recommendation H.510- Mobility for H.323 multimedia systems and services. Geneva, February 2002

D2: WO 0146843 A2 D3: WO 0120846 A2 D4: EP 1017208 A2

Document D1 is a draft recommendation which introduces new functionality to H.323 that enables mobility in H.323 systems.

A regular H.323 system, which is regarded as state of the art, describes terminals and other entities that provide multimedia communications services over Packet Based Networks which may not provide a guaranteed Quality of Service. H.323 entities may provide real-time audio, video and/or data communications. The packet based network over which H.323 entities communicate may be a point-to-point connection, a single network segment, or an internetwork (including the internet) having multiple segments with complex topologies.

In H.323, it is known to use a packet network, such as internet, and H.323 endpoints in connection with or without gatekeepers in order to establish multimedia services between two endpoints.

The endpoints can register their IP-address with a particular gatekeeper and the gatekeeper responds with a register confirmation. A first endpoint can request a gatekeeper for addresses of other endpoints and the addresses of the other endpoints is sent to the first endpoint. If the endpoints are registered with different gatekeepers one gatekeeper could ask another gatekeeper for an endpoints address.

If a first endpoint wants to setup a session with a second

.../...

Supplemental Box

In case the space in any of the preceding boxes is not sufficient. Continuation of: Box V

endpoint, a message is sent from the first endpoint via the endpoints gatekeepers to the second endpoint, the second endpoints sends an alerting and a connecting message back to the first endpoint (via the gatekeepers) and an relayed communication can be started between the endpoints.

In h.323 it is also possible to use alias-addresses multipoint connections (where more than 2 terminals connected at the same time). For references see H.323v4 (chapters 1, 7.2.2, 7.3.1, 8.1.2, 8.1.6), which can be found on http://www.packetizer.com/iptel/h323/standards.html

D2 describes a peer-to-peer computer system which maintains lists of user preferences and automatically estimates the similarity of peer users by making opportunistic use of network connections in parallel with a client-server system.

D3 and D4 are state of the art documents and will therefore not be mentioned anymore.

The object of the invention is to provide a simplified, but improved technique, in particular for searching finding Voice over IP enabled mobile communication terminals.

Claims 1-16:

Through D1, which is referring to the regular H.323 standard, it is known to use H.323 for mobile terminals, the signalling procedures are known from the regular H.323 standard (see

However, the cited documents represent the general state of

The invention defined in claims 1- 16 is not disclosed by any of these documents.

The cited prior art does not give any indication that would lead a person skilled in the art to the claimed method and arrangement for relayed services in a mobile radio frequency telecommunication system.

Therefore, the claimed invention is not obvious to a person skilled in the art.

Accordingly, the invention defined in claims 1-16 is novel and is considered to involve an inventive step. The invention is industrially applicable.

characterised in that

1. An arrangement for relayed services in a mobile radio frequency telecommunication system comprising:

a plurality of mobile communication terminals (1-5), from which an established point-to-point connection either originates or terminates,

the mobile communication terminals (1-5) operating in a mobile packet switched communication network, such as a third generation general packet radio service network,

a global and universal interconnecting network, such as the Internet, at least one router (23, 24), which bi-directionally provides a connecting bridge for transmission of data between the mobile packet switched communication network and the global and universal interconnection network,

at least one Internet relay mobile Voice over IP (IRMV) server (10-12) is provided in the a global and universal interconnecting network, in order to enable communication between mobile communication terminals (1-5) so as to avoid the need for operator interference with the established point-to-point communication.

- 2. An arrangement for relayed services according to claim 1, characterised in that the servers (10-12) and routers (20-24) are adapted to allow voice information to be transmitted over the data distribution channels.
- 3. An arrangement for relayed services according to claim 1, characterised in that the mobile communication terminals (1-5) are adapted to allow voice information to be transmitted using the data communication mode of the mobile communication terminals.

10

5

15

20

2

4. An arrangement for relayed services according to anyone of preceding claims, characterised in that

voice traffic is encoded in accordance with any of the ITU H.323 protocols.

5

5. An arrangement for relayed services according to anyone of preceding claims, characterised in that

provided access points for mobile communication terminals (1-5) at least partly incorporate the IRMV server functionality.

10

- 6. An arrangement for relayed services according to claim 5, characterised in that the IRMV server functionality at access points is carried out by means of search engine and file sharing software.
- 7. An arrangement for relayed services according to anyone of preceding claims, characterised in that

the mobile communication terminals (1-5) are WLAN or Bluetooth enabled devices.

20

25

30

8. A method in a mobile radio frequency telecommunication system for retrieval of dynamic IP-address information,

characterised by the steps of:

registering an IP-address of a first mobile communication terminal (1-5) in an operator's address record, the registration being acknowledged by the operator of the first mobile communication terminal (1-5),

registering an IP-address of a second mobile communication terminal (1-5) in an operator's address record, the registration being acknowledged by the operator of the second mobile communication terminal (1-5),

the first mobile communication terminal (1-5) transmitting a request for the registered IP-address of the second mobile communication terminal (1-5), the 3

request being relayed from one operator's address record to the other in case of different records, and

the first mobile communication terminal (1-5) retrieving the registered IP-address of the second mobile phone (1-5) from the operator's address record.

9. A method in a mobile telecommunication system according to claim 8, further characterised by the step of:

retrieving the dynamic IP-address of at least a third communication terminal (1-5), which is to be connected to a call session between other mobile communication terminals (1-3).

10. A method in a mobile radio frequency telecommunication system for establishing a connection for voice data distribution,

characterised by the steps of:

5

10

15

20

25

30

a first mobile communication terminal (1-5) transmitting a request for establishing a communication session with a registered IP-address of a second mobile phone (1-5),

the request being relayed from one operator's access server (10-12) to another access server (10-12) in case of different access servers,

the second mobile communication terminal (1-5) transmitting an acknowledgement message to the first mobile communication terminal (1-5) including acceptance message and preparation for communication session message,

the request being relayed from one operator's access server (10-12) to another access server (10-12) in case of different access servers, and

establishing a relayed communication session between the first and second mobile communication terminals via the access servers (10-12).

11. A method in a mobile telecommunication system according to claim 10, further characterised by the step of:

AMENDED SHEET

4

continuing to establish a connection with at least a third communication terminal (1-5), which is connected to the previously connected mobile communication terminals (1-3).

5 12. A method in a mobile telecommunication system according to anyone of claims 8-11, further characterised by

in dependence of the transmission quality of a call, establishing a new routing path onto which an established call of unsatisfactory transmission quality can be exchanged.

13. A method in a mobile telecommunication system according to anyone of claims

8-11, further characterised by

10

15

20

25

30

registering the IP-address, the IP-address being associated with certain identifiers, such as name, telephone number, or any other unique identity number, such as a fixed allocated IP-address.

14. A method in a mobile telecommunication system according to anyone of claims8-13, further characterised by

allocating IP-addresses by means of a Internet service provider (ISP), preferably mobile ISP, or other entity managing an access point.

15. A method in a mobile telecommunication system according to anyone of claims8-14, further characterised by

searching, by means of search engine and file sharing software, for a dynamic IP-address by means of thereto associated identifiers, such as name, telephone number, or any other unique identity number, such as a fixed allocated IP-address.

16. A computer program product, at least partly integrated in the arrangement of anyone of claims 1-7, characterised in that

PCT/SE2003/000160 04-2004

5

the computer program product is adapted for carrying out the method steps of anyone of claims 8-15.

5